



DLCBK2

NEW



Kunststoff-Distanzhalter

Plastic PCB spacers




$B_{LP} = \varnothing 3,0$	Art.-Nr.	Artikel-Bez.	L	Farbe	Art.-Nr.	Artikel-Bez.	L	Farbe
	natur				natur			
$MS_{LP} = 1,2-2$	29607	DLCBK2- 3,2-01	3,2	<input type="checkbox"/>	29613	DLCBK2-11,2-01	11,2	<input type="checkbox"/>
	54671	DLCBK2- 4,0-01	4,0	<input type="checkbox"/>	29614	DLCBK2-12,0-01	12,0	<input type="checkbox"/>
	29608	DLCBK2- 5,0-01	5,0	<input type="checkbox"/>	54670	DLCBK2-14,4-01	14,4	<input type="checkbox"/>
$B_{CH} = \varnothing 3,0$	51161	DLCBK2- 6,0-01	6,0	<input type="checkbox"/>	29615	DLCBK2-15,0-01	15,0	<input type="checkbox"/>
	29609	DLCBK2- 6,4-01	6,4	<input type="checkbox"/>	29616	DLCBK2-16,0-01	16,0	<input type="checkbox"/>
$MS_{CH} = 1,2-2$	29610	DLCBK2- 7,0-01	7,0	<input type="checkbox"/>	29617	DLCBK2-17,0-01	17,0	<input type="checkbox"/>
	29611	DLCBK2- 8,0-01	8,0	<input type="checkbox"/>	29618	DLCBK2-20,2-01	20,2	<input type="checkbox"/>
	29612	DLCBK2- 9,5-01	9,5	<input type="checkbox"/>	29619	DLCBK2-22,0-01	22,0	<input type="checkbox"/>
	54672	DLCBK2-10,6-01	10,6	<input type="checkbox"/>	29620	DLCBK2-25,4-01	25,4	<input type="checkbox"/>

weitere Abmessungen a. A. · Unit: mm · MOQ 100x


Standard-Material: PA UL-94 V-2 natur -40°C bis +75°C
Material auf Anfrage: PA UL-94 V-0 weiß -40°C bis +75°C

DLCBSM



Kunststoff-Distanzhalter

Plastic PCB spacers




$B_{LP} = \varnothing 3,2$	Art.-Nr.	Artikel-Bez.	B_{LP} ø	MS_{LP}	B_{CH} ø	MS_{CH}	L	Farbe
	natur							
$MS_{LP} = 0,8-2$	00058	DLCBSM-03-01	3,2	0,8-2,0	3,2	0,8-2,0	4,8	<input type="checkbox"/>
	00059	DLCBSM-04-01	3,2	0,8-2,0	3,2	0,8-2,0	6,4	<input type="checkbox"/>
	00060	DLCBSM-05-01	3,2	0,8-2,0	3,2	0,8-2,0	7,9	<input type="checkbox"/>
$B_{CH} = \varnothing 3,2$	00061	DLCBSM-06-01	3,2	0,8-2,0	3,2	0,8-2,0	9,5	<input type="checkbox"/>
	00062	DLCBSM-07-01	3,2	0,8-2,0	3,2	0,8-2,0	11,1	<input type="checkbox"/>
$MS_{CH} = 0,8-2$	00063	DLCBSM-08-01	3,2	0,8-2,0	3,2	0,8-2,0	12,7	<input type="checkbox"/>
	00064	DLCBSM-09-01	3,2	0,8-2,0	3,2	0,8-2,0	14,3	<input type="checkbox"/>
	00065	DLCBSM-10-01	3,2	0,8-2,0	3,2	0,8-2,0	15,9	<input type="checkbox"/>
	00066	DLCBSM-12-01	3,2	0,8-2,0	3,2	0,8-2,0	19,1	<input type="checkbox"/>
	00067	DLCBSM-14-01	3,2	0,8-2,0	3,2	0,8-2,0	22,2	<input type="checkbox"/>
	00068	DLCBSM-16-01	3,2	0,8-2,0	3,2	0,8-2,0	25,4	<input type="checkbox"/>

weitere Abmessungen a. A. · Unit: mm · MOQ 100x

Standard-Material: PA UL-94 V-2 natur -40°C bis +75°C
Material auf Anfrage: PA UL-94 V-0 weiß -40°C bis +75°C
 PA UL-94 V-2 graubraun -40°C bis +160°C


DLCBS5

NEW



Kunststoff-Distanzhalter

Plastic PCB spacers




$B_{LP} = \varnothing 3,5$	Art.-Nr.	Artikel-Bez.	B_{LP} ø	MS_{LP}	B_{CH} ø	MS_{CH}	L	Farbe
	natur							
$MS_{LP} = 0,8-2$	31261	DLCBS5- 4,8-NA	3,5	0,8-2,0	3,5	0,8-2,0	4,8	<input type="checkbox"/>
	31262	DLCBS5- 6,4-NA	3,5	0,8-2,0	3,5	0,8-2,0	6,4	<input type="checkbox"/>
	31263	DLCBS5- 7,9-NA	3,5	0,8-2,0	3,5	0,8-2,0	7,9	<input type="checkbox"/>
$B_{CH} = \varnothing 3,5$	31264	DLCBS5- 9,5-NA	3,5	0,8-2,0	3,5	0,8-2,0	9,5	<input type="checkbox"/>
	31265	DLCBS5-11,1-NA	3,5	0,8-2,0	3,5	0,8-2,0	11,1	<input type="checkbox"/>
$MS_{CH} = 0,8-2$	31266	DLCBS5-12,7-NA	3,5	0,8-2,0	3,5	0,8-2,0	12,7	<input type="checkbox"/>
	31267	DLCBS5-14,3-NA	3,5	0,8-2,0	3,5	0,8-2,0	14,3	<input type="checkbox"/>
	31268	DLCBS5-15,9-NA	3,5	0,8-2,0	3,5	0,8-2,0	15,9	<input type="checkbox"/>


weitere Abmessungen a. A. · Unit: mm · MOQ 100x

Standard-Material: PA UL-94 V-2 natur -40°C bis +75°C
Material auf Anfrage: PA UL-94 V-0 weiß -40°C bis +75°C
 PA UL-94 V-2 graubraun -40°C bis +160°C

DLCBS



Kunststoff-Distanzhalter
Plastic PCB spacers




$B_{LP} = \varnothing 4,0$	Art.-Nr.	Artikel-Bez.	B_{LP} \varnothing	MS_{LP}	B_{CH} \varnothing	MS_{CH}	L	Farbe
	natur							
$MS_{LP} = 0,8-2$	00037	DLCBS-03-01	4,0	0,8-2,0	4,0	0,8-2,0	4,8	<input type="checkbox"/>
	00038	DLCBS-04-01	4,0	0,8-2,0	4,0	0,8-2,0	6,4	<input type="checkbox"/>
$B_{CH} = \varnothing 4,0$	NEW 13303	DLCBS-05-01	4,0	0,8-2,0	4,0	0,8-2,0	7,9	<input type="checkbox"/>
	00039	DLCBS-06-01	4,0	0,8-2,0	4,0	0,8-2,0	9,5	<input type="checkbox"/>
$MS_{CH} = 0,8-2$	NEW 42224	DLCBS-07-01	4,0	0,8-2,0	4,0	0,8-2,0	11,1	<input type="checkbox"/>
	00040	DLCBS-08-01	4,0	0,8-2,0	4,0	0,8-2,0	12,7	<input type="checkbox"/>
	NEW 13304	DLCBS-09-01	4,0	0,8-2,0	4,0	0,8-2,0	14,3	<input type="checkbox"/>
	00041	DLCBS-10-01	4,0	0,8-2,0	4,0	0,8-2,0	15,9	<input type="checkbox"/>
	00042	DLCBS-12-01	4,0	0,8-2,0	4,0	0,8-2,0	19,1	<input type="checkbox"/>
	00043	DLCBS-14-01	4,0	0,8-2,0	4,0	0,8-2,0	22,2	<input type="checkbox"/>


weitere Abmessungen a. A. · Unit: mm · MOQ 100x

Standard-Material: PA UL-94 V-2 natur -40°C bis +75°C
Material auf Anfrage: PA UL-94 V-0 weiß -40°C bis +75°C
 PA UL-94 V-2 graubraun -40°C bis +160°C

DLCBS2



Kunststoff-Distanzhalter
Plastic PCB spacers




$B_{LP} = \varnothing 4,8$	Art.-Nr.	Artikel-Bez.	B_{LP} \varnothing	MS_{LP}	B_{CH} \varnothing	MS_{CH}	L	Farbe
	natur							
$MS_{LP} = 0,8-2$	00044	DLCBS2-03-01	4,8	0,8-2,0	4,8	0,8-2,0	4,8	<input type="checkbox"/>
	00045	DLCBS2-04-01	4,8	0,8-2,0	4,8	0,8-2,0	6,4	<input type="checkbox"/>
$B_{CH} = \varnothing 4,8$	NEW 13305	DLCBS2-05-01	4,8	0,8-2,0	4,8	0,8-2,0	7,9	<input type="checkbox"/>
	00046	DLCBS2-06-01	4,8	0,8-2,0	4,8	0,8-2,0	9,5	<input type="checkbox"/>
$MS_{CH} = 0,8-2$	NEW 13306	DLCBS2-07-01	4,8	0,8-2,0	4,8	0,8-2,0	11,1	<input type="checkbox"/>
	00047	DLCBS2-08-01	4,8	0,8-2,0	4,8	0,8-2,0	12,7	<input type="checkbox"/>
	NEW 13307	DLCBS2-09-01	4,8	0,8-2,0	4,8	0,8-2,0	14,3	<input type="checkbox"/>
	00048	DLCBS2-10-01	4,8	0,8-2,0	4,8	0,8-2,0	15,9	<input type="checkbox"/>
	00049	DLCBS2-12-01	4,8	0,8-2,0	4,8	0,8-2,0	19,1	<input type="checkbox"/>
	00050	DLCBS2-14-01	4,8	0,8-2,0	4,8	0,8-2,0	22,2	<input type="checkbox"/>


weitere Abmessungen a. A. · Unit: mm · MOQ 100x

Standard-Material: PA UL-94 V-2 natur -40°C bis +75°C
Material auf Anfrage: PA UL-94 V-0 weiß -40°C bis +75°C
 PA UL-94 V-2 graubraun -40°C bis +160°C

DLCBS3



Kunststoff-Distanzhalter
Plastic PCB spacers



$B_{LP} = \varnothing 4,0$	Art.-Nr.	Artikel-Bez.	B_{LP} \varnothing	MS_{LP}	B_{CH} \varnothing	MS_{CH}	L	Farbe
	natur							
$MS_{LP} = 0,8-2$	00051	DLCBS3-03-01	4,0	0,8-2,0	4,8	0,8-2,0	4,8	<input type="checkbox"/>
	00052	DLCBS3-04-01	4,0	0,8-2,0	4,8	0,8-2,0	6,4	<input type="checkbox"/>
$B_{CH} = \varnothing 4,8$	NEW 13308	DLCBS3-05-01	4,0	0,8-2,0	4,8	0,8-2,0	7,9	<input type="checkbox"/>
	00053	DLCBS3-06-01	4,0	0,8-2,0	4,8	0,8-2,0	9,5	<input type="checkbox"/>
$MS_{CH} = 0,8-2$	NEW 13309	DLCBS3-07-01	4,0	0,8-2,0	4,8	0,8-2,0	11,1	<input type="checkbox"/>
	00054	DLCBS3-08-01	4,0	0,8-2,0	4,8	0,8-2,0	12,7	<input type="checkbox"/>
	NEW 13310	DLCBS3-09-01	4,0	0,8-2,0	4,8	0,8-2,0	14,3	<input type="checkbox"/>
	00055	DLCBS3-10-01	4,0	0,8-2,0	4,8	0,8-2,0	15,9	<input type="checkbox"/>
	00056	DLCBS3-12-01	4,0	0,8-2,0	4,8	0,8-2,0	19,1	<input type="checkbox"/>
	00057	DLCBS3-14-01	4,0	0,8-2,0	4,8	0,8-2,0	22,2	<input type="checkbox"/>

weitere Abmessungen a. A. · Unit: mm · MOQ 100x

Standard-Material: PA UL-94 V-2 natur -40°C bis +75°C
Material auf Anfrage: PA UL-94 V-0 weiß -40°C bis +75°C
 PA UL-94 V-2 graubraun -40°C bis +160°C